

# Mohawk Finishing Products

Division of RPM Wood Finishes Group, Inc.

## Product Data Sheet

### POUR-N-WIPE™

M603-301

AVAILABLE IN QUARTS, GALLONS

**Product Description:** Pour-N-Wipe™ - A very versatile finish with many applications in finishing, refinishing and restoration work. It imparts a lustrous satin finish, protecting wood against alcohol and water staining and is very mar-resistant. Pour-N-Wipe is durable enough for use on hardwood floors, bar and table tops. The finish can be easily rejuvenated by cleaning the surface with Mohawk Wax Wash. Then, lightly sand the surface and apply a thin coat of Pour-N-Wipe™ following directions. The surface will be dust free in 20 minutes. Recoat in four hours and hard enough in twelve hours to put the piece to service. New and stripped surfaces can be finished with out spraying, quickly leaving no brush marks or messy clean up. All in all, once you try Pour-N-Wipe, you will agree that it is a superior easy-to-use finish.

#### Advantages:

1. Wipes on as easily as furniture polish!
2. Provides a tough, alcohol resistant polyurethane finish.
3. Apply with a cloth or by a “squeegee” for large surfaces.
4. Pour-N-Wipe finish is self sealing.

#### Product Limitations:

1. Designed for interior use only.

#### Characteristics:

Weight per gallon: 7.25 ± 0.1 lbs./gal.

Flashpoint: 105F/40C

Package Viscosity: 55-60KU/ 100 grams

Dry time: Air dry @ 72F, 35% RH

To touch: 45 minutes

Tack free: 90 minutes

To handle or recoat: 4 hours

Volatile Organic Compounds (VOC):

HMIS: Health: 1, Flammability: 2, Reactivity: 0, Personal Protection: X

535.38 GPL, 4.46 lb/gal

Spec. Gravity: .87 ± 0.01

Solids % (wt.): 38.02

Solids % (vol.): 30.89

VHAPs: .0001

Coverage: 495 sq. ft./gal. @ 1 dry mil

Package Life: 3 years

#### Specifications:

**Directions:** PREPARATION INSTRUCTIONS: For rejuvenation of a current finish, sand the surface lightly with 320 grit sandpaper and remove dust and debris. For best results, clean with Mohawk Wax Wash before applying Pour-N-Wipe®. For finishing and refinishing, prepare the surface by sanding wood to no higher than 180 grit sandpaper. Stain if desired, following manufacturer’s directions and dry time. Remove sanding dust and debris from surface. APPLICATION DIRECTIONS: Use in a well-ventilated area. Pour a small amount of Pour-N-Wipe® onto the surface. Use a soft rag to wipe first across the grain, followed by a uniform wipe with the grain. Allow 4 hours to dry and lightly sand with 320 grit sandpaper

before applying additional coats. After final coat, allow to dry a minimum of 12-hours before putting the piece into service. Sheen will increase slightly with each additional coat. CLEAN-UP: Use Mohawk M650-230 Mineral Spirits for cleaning up.

**Safety and Other Precautions:** Read MSDS for precautions before using product.

**MSDS:** If Material Safety Data Sheet is required, contact:

Mohawk Finishing Products

Division of RPM Wood Finishes Group, Inc.

P.O. Box 22000

Phone: 1-800-545-0047

Hickory, NC 28603

Fax: 1-800-721-1545

**INFORMATION and LIMITED WARRANTY DISCLAIMER**

To the best of our knowledge the technical data contained herein is true and accurate on the date of publication and is subject to change without prior notice. User must contact Mohawk Finishing Products to verify correctness before specifying or ordering. No guarantee of accuracy is given or implied. We assume no responsibility for coverage, performance or injuries resulting from use. The data on this sheet represents estimated and typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. We sell the products without warranty. Users assume all responsibility and liability for use. Loss or damage arising from the use of our products whether used alone or in combination with our products is the responsibility of the user. **MOHAWK FINISHING PRODUCTS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. MOHAWK FINISHING PRODUCTS WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.** Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option. The information on this sheet, as well as the products referenced herein, shall be considered "Confidential Information". Wet samples and uncured samples of these products shall be maintained as confidential and shall not be disclosed to any third party without the prior written permission of Mohawk Finishing Products.